	Ref #	Hits	Search Text	DBs
1	S1	2	"20040260542".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	S2	2	"6003041".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	S3	2	"6698020".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	S4	1	"5257106".PN.	USPAT; USOCR
5	S5	1	S2 and (select$5 same (character$6 preference$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	S6	21	("6003041").URPN.	USPAT
7	S7	2	"6698020".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	S8	1	S7 and rating$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	S10	2	"6003041".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	S11	0	S10 and default$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	S12	0	S11 and rating$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	S9	1	S7 and default$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	S13	0	S10 and mad adj about	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	S14	11594	(duplicat$4 near2 program$4) ((plurality$1 multipl$4) near2 version$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	S15	16081	converg$4 near2 (system$1 device$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

16	S16	6576	(convergence$1 converged$1) near2 (system$1 device$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
17	S17	16	S16 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	S18	8246	(convergence$1 converged$1 convergent) near2 (system$1 device$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	S19	19	S18 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	S21	2	"6671880".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	S22	13	("4602279" | "5155591" | "5446919" | "5515098" | "5600364" | "5610653" | "5652615" | "5724521" | "5758259" | "5848397" | "6002393" | "6029045" | "6128712").PN.	US-PGPUB; USPAT; USOCR
22	S23	5	("6594825").URPN.	USPAT

	Ref #	Hits	Search Text	DBs
23	S24	91	("20010003845" | "20010021994" | "20020083444" | "20020144153" | "4745549" | "4789863" | "4947429" | "4995078" | "5075771" | "5130792" | "5155591" | "5367330" | "5371551" | "5446919" | "5459506" | "5479508" | "5483472" | "5508731" | "5524195" | "5532735" | "5541638" | "5572442" | "5600364" | "5604542" | "5610653" | "5616876" | "5619249" | "5621456" | "5640002" | "5721827" | "5724521" | "5732216" | "5734720" | "5745710" | "5752238" | "5758259" | "5761683" | "5781909" | "5794210" | "5801747" | "5802299" | "5818512" | "5838314" | "5848396" | "5848397" | "5861881" | "5861906" | "5892536" | "5931901" | "5937329" | "5986692" | "6002393" | "6005561" | "6012080" | "6020912" | "6026376" | "6029045" | "6057872" | "6088455" | "6088722" | "6101483" | "6131087" | "6177931" | "6199073" | "6211901" | "6216129" | "6237145" | "6246997" | "6324338" | "6324519" | "6366100" | "6386450" | "6411992" | "6447704" | "6457010" | "6463585" | "6484146" | "6505240" | "6517216" | "6526577" | "6571216" | "6571279" | "6571390" | "6594825" | "6668377" | "6698020" | "6799327" | "6816628" | "6820277" | "6868415" | "RE36801").PN.	US-PGPUB; USPAT; USOCR
24	S25	32	("20020080160" | "20020108110" | "5444499" | "5534911" | "5564088" | "5585865" | "5596373" | "5629733" | "5686954" | "5900915" | "5945988" | "5977964" | "5982411" | "5990927" | "6003041" | "6005565" | "6008802" | "6025837" | "6075526" | "6075971" | "6157377" | "6157411" | "6163345" | "6173112" | "6184918" | "6226444" | "6247176" | "6295646" | "6317881" | "6341374" | "6424791" | "6483987").PN.	US-PGPUB; USPAT; USOCR
25	S20	3	S19 not S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
26	S26	2	"20030035007"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	S27	1	S26 and default$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	S28	1	(favor$6 prefer$5) with (device$2) and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	S29	1	(select$5) with (device$2) and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	S30	1	(select$5) near4 (device$2) and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	S31	81	wugofski.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	S32	112	(single) adj2 (show program programme) same (different adj3 (times sources devices networks))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	S33	13982	(show program programme) same (different adj3 (times sources devices networks))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	S34	5037	(show program programme) with (different adj3 (times sources devices networks))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	S37	1	S32 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	S36	5	S33 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	S35	3	S34 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	S38	4800	(show program programme) with (different adj3 (times sources devices))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	S40	363	S38 and (program adj3 guide$1 epg channel adj2 map$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	S39	9210	"15" and (program adj3 guide$1 epg channel adj2 map$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
41	S41	2	"5801787".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	S42	8252	(convergence$1 converged$1 convergent) near2 (system$1 device$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
43	S44	97	S42 and (program adj3 guide$1 epg channel adj2 map$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	S45	0	S44 and preferred adj4 (device source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	S46	0	S42 and preferred adj4 (device source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	S47	0	S42 and preferred with (device source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	S48	43	S42 and default with (device source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	S49	44	S42 and default with (device source equipment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	S50	0	S42 and preferred with (device source equipment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	S51	12	S49 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
51	S52	50	("5801787").URPN.	USPAT
52	S53	4800	(show program programme) with (different adj3 (times sources devices))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	S54	3	S52 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	S55	77	725/59.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
55	S56	18	725/59.ccls. and default	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
56	S57	2	725/59.ccls. and default same (dbs$1 satellite$1 cable antenna$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	S58	3	("6133910" | "6359580" | "6529680").PN.	US-PGPUB; USPAT; USOCR
58	S59	26	(tv adj show program programme) with (different adj3 (ratings))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	S60	2	(tv adj show program programme) with (different adj3 (mpaa))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
60	S62	3	(tv adj show program programme versions) with (different adj3 (mpaa))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
61	S64	1985	(tv adj show program programme versions) with (different adj3 (language$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
62	S66	33449	(viewer$1 user client$1 customer$1) adj2 preference$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
63	S71	144	S66 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
64	S70	4	S66 same S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
65	S73	854	user adj2 (profile$1 preference$2) with channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
66	S74	261	S73 and "725"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
67	S75	1	S73 and "725"/59.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
68	S76	17286250	(@ad @rlad)<="19981030"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	S77	26	S74 and S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
70	S78	36	("3919479" | "4677466" | "4788682" | "5105184" | "5136636" | "5155591" | "5172413" | "5233423" | "5382970" | "5410326" | "5412416" | "5446919" | "5488423" | "5524195" | "5532735" | "5559549" | "5566353" | "5600364" | "5600366" | "5636346" | "5659653" | "5774170" | "5809471" | "5929849" | "5940073" | "5945988" | "6002394" | "6006257" | "6029045" | "6035304" | "6058430" | "6061719" | "6064980" | "6240555" | "6297853" | "RE35651").PN.	US-PGPUB; USPAT; USOCR
71	S79	7	S78 and (mpaa rating$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
72	S81	1	S80 and incorp$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
73	S82	6	("5801787" "6620594" "4706121").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
74	S83	1	("5801787" "6620594" "4706121").pn. and customiz$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
75	S84	1	("5801787" "6620594" "4706121").pn. and (customiz$ preferenc$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
76	S85	268	(favorite$1 preferred$1) near2 (network$1 channel$1) same (preference$1 profile$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
77	S86	131	(favorite$1 preferred$1) near2 (network$1 channel$1) with (indicat$4 set setting$1) same (preference$1 profile$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
78	S87	40	(favorite$1 preferred$1) near2 (network$1 channel$1) with (indicat$4) same (preference$1 profile$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
79	S88	37	S87 and "725"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
80	S89	30	S88 and S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
81	S90	26	(favorite$1 preferred$1) near2 (network$1 channel$1) with (automatic$4 with tun$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
82	S91	8	S90 and "725"/$.ccls. and S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
83	S92	5793	"725"/$.ccls. and S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
84	S96	29	(favorite$1 preferred$1 choice$1) with (source$1 device$1 dss dbs cable) with (automatic$4 with tun$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
85	S98	479	(plurality$1 multipl$5 various$1) with (source$1 device$1 dss dbs cable) with (automatic$4 with tun$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
86	S99	12	S92 and S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
87	S100	3	(plurality$1 multipl$5 various$1) with (source$1 device$1 dss dbs cable) with (automatic$4 with tun$4) same preferenc$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
88	S101	2	"6359580".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
89	S102	943	hdtv with (sdtv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
90	S103	1037	hdtv with (non adj hdtv sdtv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
91	S104	2	S103 same preferenc$4 with hdtv	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
92	S105	22	preferenc$4 with (hdtv sdtv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
93	S106	20	S105 not S104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
94	S107	253	(director directors) adj3 cut	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
95	S108	67	(director directors) adj3 cut with version$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
96	S109	17	"725"/$.ccls. and S108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
97	S110	2	(preference$1 profile$1) same S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
98	S111	52	(preference$1 profile$1) with mpaa	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
99	S112	1	S111 and S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
100	S114	2584	(original) adj3 cut	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
101	S115	2835	(S107 or S114)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
102	S116	1	S111 and S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
103	S113	15	(original) adj3 cut with version$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
104	S117	1	(epg program adj2 guide$1) same S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
105	S118	25	(epg program adj2 guide$1) and S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
106	S80	2	"20060168620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
107	S119	1	(S80 S101) and tag$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
108	S120	1	(S80 S101) and (mpaa rating$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB